Hangr LED Closet Bar



The Hangr LED Closet Bar is a sleek, functional and sturdy LED fixture that makes your closet shine, either as a standalone light or in addition to existing lighting. The Hangr Closet Bar Fixture pairs the Hangr aluminum channel and premium diffuser with Alloy's super bright PrimaLine® 6.6 LED tape light to create sleek, functional customized LED closet lighting.

Alloy LED tailors the fixture to fit your closet perfectly. Just pick the color temperature of the LED light—from warm white 2700K and 3000K, neutral white 4200K, and cool white 5000Kand length down to the inch. The fixture is delivered ready to install, with mounting rings and screws, and a power cable for connecting to low voltage power.

Alloy LED recommends an optional hanger bracket for bars over 5 feet that support heavy clothing.



Kelvin temp. (CCT)	CRI	R9 Value	R13 Value	Lumens / foot
2700K	95+	90	94	648
3000K	95+	90	94	698
4200K	95+	90	94	698
5000K	95+	55	90	774
















Polished aluminum finish





Gloss white finish

- Choice of LED light color temperature and length
- 95 CRI light shows the true color of clothing, shoes and accessories
- Diffused, hotspot-free light
- Comes ready to install
- Low heat and zero UV

Hanger Brackets (optional) - 1 bracket w/screws L = 3.5 in. / W = 2.25 in.





AL-50-19-9971-WH

AL-50-19-9971-ALP

Power Consumption per ft.	6.6 Watts/275mA	
Voltage	24V DC	
Beam Angle	120°	
Dimmable	Yes	
Operating Temp.	-13° F to 140° F	

Each fixture includes a 6 ft. lead wire and mounting rings and screws.

SKU Builder

Use the SKU builder to fill in the desired CCT (Kelvin temp.) and length (in inches).

Example: AL-Closet-ALP-PL6.6-24V-27-58 =

Hangr LED Closet Bar Light - 2700K - 58 inch

AL - Closet - ALP - PL6.6 - 24V - [CCT]

(Choice of Kelvin temp.)

(Choice of length - 1 in. increments) 01-84 in. 27 = 2700K


[LENGTH]


30 = 3000K


42 = 4200K

50 = 5000K


www.AlloyLED.com Call: 800.910.LEDS [5337] | Text: 510.400.6690 solutions@AlloyLED.com










3000K









4200K







5000K

