


LED 3015

SURFACE MOUNT LED STRIP LIGHT WITH INLINE DIMMER SWITCH




24 V SYSTEM



- > *CRI 90 lights are Title 24 Compliant
- > CRI 90 lights offer more vibrant, true color rendering than lower CRI product
- > Supplied ready to install
- > Optimal lengths for installing under your wall cabinets to brighten up your countertop workspace
- > Linkable to other light bars, see page 79



- > Driver see page 88
- > Components see page 127




Light Color (K)	3000 (warm white)				4000 (cool white)			
Lumen per watt	91							
CRI	90*							
Item No.	833.76.150	833.76.152	833.71.233	833.76.154	833.76.170	833.76.172	833.71.238	833.76.174
SRP	\$40.00	\$46.00	\$49.00	\$52.00	\$46.00	\$46.00	\$49.00	\$52.00
Length	6"	9"	12"	15"	6"	9"	12"	15"
Wattage	1.1	2.3	3.4	4.5	1.1	2.3	3.4	4.5
LEDs	9	18	27	36	9	18	27	36
Lumen	102	205	307	410	102	205	307	410
Item No.	833.76.156	833.76.158	833.71.234	833.76.160	833.76.176	833.76.178	833.71.239	833.76.180
SRP	\$ 56.00	\$ 60.00	\$ 64.00	\$ 68.00	\$ 56.00	\$ 60.00	\$ 64.00	\$ 68.00
Length	18"	21"	24"	27"	18"	21"	24"	27"
Wattage	5.6	6.8	7.9	9.0	5.6	6.8	7.9	9.0
LEDs	45	54	63	72	45	54	63	72
Lumen	512	614	717	819	512	614	717	819
Item No.	833.71.235	833.76.162	833.71.236	833.76.164	833.71.240	833.76.182	833.76.241	833.76.184
SRP	\$ 72.00	\$ 76.00	\$ 80.00	\$ 84.00	\$ 72.00	\$ 76.00	\$ 80.00	\$ 84.00
Length	30"	33"	36"	39"	30"	33"	36"	39"
Wattage	10.1	11.3	12.4	13.5	10.1	11.3	12.4	13.5
LEDs	81	90	99	108	81	90	99	108
Lumen	921	1024	1126	1229	921	1024	1126	1229
Item No.	833.71.237		833.76.166		833.71.242		833.76.186	
SRP	\$ 87.00		\$ 90.00		\$ 87.00		\$ 90.00	
Length	42"		45"		42"		45"	
Wattage	14.8		15.8		14.8		15.8	
LEDs	117		126		117		126	
Lumen	1331		1433		1331		1433	
Material	Aluminum, clear anodized; Lens: milk							
Supplied with	2 m (78 3/4") driver connection cable with integrated switch, 100 mm (4") female mini driver cable, mounting brackets, screws, two-sided mounting tape							

Note Loox Lights and Drivers are "Suitable for use within Closet Storage Spaces"

LED 3015

SURFACE MOUNT LED STRIP LIGHT WITH LINKABLE CABLE



24 V SYSTEM

- > *CRI 90 lights are Title 24 Compliant
- > *CRI 90 lights offer more vibrant, true color rendering than lower CRI products
- > Supplied ready to install
- > Optimal lengths for installing under your wall cabinets to brighten up your countertop workspace
- > Linkable to other light bars



> Driver see page 88
> Components see page 127

3000 K	4000 K	120°	
2090 lx	2090 lx		250 mm (9 13/16")
732 lx	732 lx		500 mm (19 11/16")
325 lx	325 lx		750 mm (29 1/2")
183 lx	183 lx		1000 mm (39 3/8")

Light Color (K)	3000 (warm white)				4000 (cool white)			
Lumen per watt	85							
CRI	90*							
Item No.	833.76.151	833.76.153	833.71.243	833.76.155	833.76.171	833.76.173	833.71.248	833.76.175
SRP	\$24.00	\$30.00	\$33.00	\$36.00	\$24.00	\$30.00	\$33.00	\$36.00
Length	6"	9"	12"	15"	6"	9"	12"	15"
Wattage	1.5	2.3	3.8	4.6	1.5	2.3	3.8	4.6
LEDs	12	18	30	36	12	18	30	36
Lumen	137	239	341	444	137	239	341	444
Item No.	833.76.157	833.76.159	833.71.244	833.76.161	833.76.177	833.76.179	833.71.249	833.76.181
SRP	\$ 42.00	\$ 48.00	\$ 51.00	\$ 54.00	\$ 42.00	\$ 48.00	\$ 51.00	\$ 54.00
Length	18"	21"	24"	27"	18"	21"	24"	27"
Wattage	6.1	6.9	8.3	9.1	6.1	6.9	8.3	9.1
LEDs	48	54	66	72	48	54	66	72
Lumen	546	648	751	853	546	648	751	853
Item No.	833.71.245	833.76.163	833.71.246	833.76.165	833.71.250	833.76.183	833.71.251	833.76.185
SRP	\$ 57.00	\$ 60.00	\$ 63.00	\$ 66.00	\$ 57.00	\$ 60.00	\$ 63.00	\$ 66.00
Length	30"	33"	36"	39"	30"	33"	36"	39"
Wattage	10.5	11.4	12.8	13.7	10.5	11.4	12.8	13.7
LEDs	84	90	102	108	84	90	102	108
Lumen	956	1058	1160	1263	956	1058	1160	1263
Item No.	833.71.252		833.76.167		833.71.252		833.76.187	
SRP	\$ 69.00		\$ 72.00		\$ 69.00		\$ 72.00	
Length	42"		45"		42"		45"	
Wattage	15.0		16.0		15.0		16.0	
LEDs	120		126		120		126	
Lumen	1365		1467		1365		1467	
Material	Aluminum, clear anodized; Lens: milk							
Supplied with	100 mm (4") male mini driver cable, 100 mm (4") female mini driver cable, mounting brackets, screws, two-sided mounting tape							
Note	Loox Lights and Drivers are "Suitable for use within Closet Storage Spaces"							



LOOX LED DRIVER

CONSTANT VOLTAGE 24 V

24 V SYSTEM

THIN PROFILE

- 1 Item No. 833.77.945
 $\otimes_1 + \otimes_2 + \dots + \otimes_6 < 20 \text{ W}$
- 2 Item No. 833.77.947
 $\otimes_1 + \otimes_2 + \dots + \otimes_6 < 40 \text{ W}$
- 3 Item No. 833.77.949
 $\otimes_1 + \otimes_2 + \dots + \otimes_6 < 90 \text{ W}$
max. 84 W per light output



- > Suitable for all of the world's power systems
- > With an integrated port for a wide selection of switches
- > Max. 84 W per light output
- > Lead length from driver to switch: Max. 6 m (236 1/4")

- ! > Class 2
- > Efficiency Level VI
- > Degree of protection : IP20
- > Loox drivers cannot be controlled by a dimmer wall switch

Item No.	833.77.945 1	833.77.947 2	833.77.949 3
SRP	\$36.00	\$60.00	\$120.00
L x W x H	140 x 50 x 16 (5 1/2" x 2" x 5/8")	190 x 60 x 16 (7 1/2" x 2 3/8" x 5/8")	316 x 70 x 16 (8 3/16" x 2 3/4" x 5/8")
Wattage	0 – 20	0 – 40	0 – 90
Standby Power Consumption Wattage	<0.1	<0.1	<0.2
Input voltage	100 – 240 V~; 50 – 60 Hz		
Output voltage	24 V DC		
Output current	0.83 A	1.67 A	3.75 A
Number of slots	6 for lights, 1 for switch, 1 for power cord		
Material/Finish	Plastic, black		
Supplied with	Mounting accessories, US power cord		
Note	Loox Lights and Drivers are "Suitable for use within Closet Storage Spaces"		

- ➔ > Switches see pages 113 - 116
- > Extension leads see page 127

- + Power cord with 90° plug, Plastic, black 2 m (78 3/4")
- > Item No. 833.89.017 **SRP \$5.00**
- 90° Plug adapter, Plastic, black
- > Item No. 833.89.018 **SRP \$7.00**

Country-specific 2 m (78 3/4") primary leads

	3 m (118")							
Item No.	833.89.000	833.89.001	833.89.002	833.89.003	833.89.016	833.89.005	833.89.050	833.89.008
SRP	\$10.00	\$4.00	\$4.00	\$4.00	\$4.00	\$4.00	\$4.00	\$6.00
Plug design								
Designation	UK	AU	EU	US	JP	CN	US	US
Voltage (V)	250	250	250	120	100	250	120	120