


- CRI 95+ / R9 values up to 98
- Television Lighting Consistency Index (TLCI)* 95+
- Efficiency up to 106 lm/w
- Lumen output up to 160 lm/ft
- IP64 KLUS clear coat
- Superior color consistency and dimming performance
- Clean line of light when paired with most KLUS extrusions and LIGER cover
- * TLCI provides a way to quantify a light source superior for

electric camera or broadcast film lighting.






TECHNICAL DATA

Model	IP protection	Power consumption	Color temperature	Lumen output	Lumens per watt	Diode QTY per foot	Input voltage	Beam Angle	Max run length	LED width
K-HE-22-0480-HD-24V	IP 64	1.5 W/ft	2200 K	114 lm/ft	77 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-25-0480-HD-24V	IP 64	1.5 W/ft	2500 K	122 lm/ft	83 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-27-0480-HD-24V	IP 64	1.5 W/ft	2700 K	138 lm/ft	92 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-30-0480-HD-24V	IP 64	1.5 W/ft	3000 K	144 lm/ft	97 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-35-0480-HD-24V	IP 64	1.5 W/ft	3500 K	146 lm/ft	98 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-40-0480-HD-24V	IP 64	1.5 W/ft	4000 K	149 lm/ft	100 L/W	48 pcs/ft	24 V	120 °	46'	10 mm
K-HE-50-0480-HD-24V	IP 64	1.5 W/ft	5000 K	160 lm/ft	106 L/W	48 pcs/ft	24 V	120 °	46'	10 mm






TM-30 DATA



Hue Bin	Rf	Chroma	Hue
1	96	-1	0.01
2	96	0	0.01
3	96	1	-0.01
4	95	-2	0.03
5	96	-1	0.01
6	94	2	0.04
7	97	2	0.01
8	94	2	0.02
9	95	2	0.01
10	96	2	0.01
11	95	3	0.01
12	91	5	-0.04
13	88	2	-0.10
14	87	-2	-0.14
15	93	-2	-0.04
16	92	-2	-0.04




Hue Bin	Rf	Chroma	Hue
1	97	0	0.01
2	96	1	0.00
3	95	1	-0.02
4	95	-2	-0.03
5	97	-1	0.01
6	95	2	0.03
7	95	1	0.02
8	95	4	0.00
9	95	2	0.01
10	96	2	0.00
11	94	4	0.00
12	93	3	-0.02
13	93	3	-0.08
14	87	-2	-0.07
15	94	0	-0.02
16	93	1	-0.04





95 Rf	6	5	4	3	103 Rg
7	1				2
8					1
9					16
10	Ń	-20			15
	11	12 ⁺²⁰¹	13		


Hue Bin	Rf	Chroma	Hue
1	97	-1	0.00
2	97	1	-0.01
3	95	1	0.01
4	96	-2	-0.01
5	96	0	0.01
6	93	3	0.03
7	95	2	0.00
8	95	3	-0.01
9	97	1	0.00
10	98	1	0.01
11	94	4	0.02
12	93	4	0.00
13	93	3	-0.07
14	87	1	-0.08
15	94	2	-0.03
16	92	-0.05	0




Hue Bin	Rf	Chroma	Hue
1	97	0	0.00
2	98	0	0.00
3	96	1	0.01
4	96	-1	-0.01
5	97	1	0.02
6	94	3	0.02
7	95	2	0.00
8	96	2	-0.01
9	97	1	0.00
10	98	0	0.01
11	94	3	0.03
12	94	3	0.01
13	95	3	-0.05
14	91	2	-0.05
15	94	3	-0.03
16	93	1	-0.05



35K CCT




Hue Bin	Rf	Chroma	Hue
1	97	1	0.00
2	97	1	-0.01
3	96	0	0.00
4	95	-2	-0.02
5	95	-3	0.00
6	96	0	0.02
7	96	0	0.02
8	98	1	0.01
9	95	1	0.03
10	93	1	0.04
11	92	3	0.05
12	93	4	0.01
13	96	1	-0.02
14	95	3	-0.02
15	91	3	-0.02
16	93	2	-0.04



Hue Bin	Rf	Chroma	Hue
1	95	1	0.01
2	96	1	-0.01
3	96	1	-0.01
4	94	-3	-0.03
5	93	-4	-0.01
6	97	-1	0.01
7	92	-2	0.04
8	97	0	0.02
9	93	1	0.05
10	92	2	0.05
11	92	4	0.05
12	93	4	0.01
13	97	1	-0.02
14	94	4	-0.01
15	90	4	-0.02
16	95	1	-0.01



50K CCT



Hue Bin	Rf	Chroma	Hue
1	95	2	0.00
2	96	2	-0.02
3	96	1	-0.01
4	95	-2	-0.03
5	94	-4	-0.01
6	97	0	0.01
7	94	-1	0.03
8	96	1	0.02
9	95	1	0.03
10	93	2	0.04
11	92	3	0.05
12	93	4	0.01
13	96	1	-0.02
14	95	4	-0.01
15	91	4	-0.02
16	95	2	-0.01



RELATED EXTRUSIONS



4050 Extrusion Ref: 18050





B7009ANODA



KIDES-DUO Extrusion Ref: 18032ANODA



KUBIK-45 Extrusion Ref: B7697ANODA



MICRO-ALU Extrusion Ref: B1888



Ref:

Ref:

Ref:


B5552ANODA

MICRO-H

Extrusion

C0599ANODA

Ref:



45-ALU Extrusion Ref: B4023ANODA



IDOL Extrusion Ref: 18014ANODA

IKON Extrusion 18013ANODA



DES Extrusion Ref: 18030ANODA



IMET Extrusion Ref: 18012ANODA



KOZEL Extrusion Ref: B6454

LIPOD Extrusion

Ref: B5554ANODA

MICRO-NK Extrusion

Ref: C1587



Ref: B1890ANODA



INTER Extrusion Ref: 18011ANODA



KOZMA Extrusion Ref: 18040NA



Ref: B5556ANODA



JAZ Extrusion Ref: B8547ANODA



KOZUS Extrusion Ref: B7823NA



Extrusion

GIZA-DUO-LL

KIDES Extrusion

18031ANODA

Ref:

Extrusion

Ref: C2162

LOKOM Extrusion Ref: B5553ANODA



MOD-50 Extrusion Ref: 18047



NISA-KON Extrusion Ref: 18027NA



LIT-L Extrusion Ref: 18033NA





MOD-100 Extrusion Ref: 18049





KOPRO Extrusion B6367ANODA Ref:

LARKO Extrusion LESTO Extrusion

Ref:

B5551ANODA

MICRO-HG

Extrusion

Ref: C1419

KOPRO-30 Extrusion








NISA-KRA Extrusion Ref: 18026NA





Ref:

PDS-O Extrusion

PULA Extrusion

18035ANODA

Ref:

STEPUS

Ref:

Extrusion

18038ANODA

PDS-H Extrusion Ref: B9204ANODA



POR Extrusion Ref: B6144ANODA



STEP Extrusion Ref: B4845ANODA




WERKIN Extrusion Ref: 18025ANODA



NISA-NI Extrusion Ref: 18029NA



Extrusion Ref: 18028NA




Ref: W4826ANODA



PDS4-ALU Extrusion Ref: B1718



SEKODU Extrusion Ref: B6597ANODA



TAMI Extrusion Ref: B5390ANODA/Frosted Cover



OLEK Extrusion Ref: B8505ANODA



Extrusion Ref: B6164ANODA




PDS4-K Extrusion PDS4-PLUS Ref: B3776ANODA



PAC-ALU Extrusion Ref: B4370ANODA



POLI Extrusion Ref: B7176ANODA



SEPOD Extrusion Ref: Ref: B6593ANODA B9325ANODA



TRIADA

Extrusion Ref: B4477ANODA



SEKOMA

Ref:

Extrusion

B6595ANODA

TAN-C5 Extrusion Ref:

B5391/Frosted

Cover



TRIADA-K



PDS-ZM

Extrusion

REGULOR

Extrusion

STOS-ALU

Extrusion

B4369ANODA

Ref:

Ref

