

MD-SERIES

MAGNETIC DIMMABLE LED DRIVER







P/N: MD-200-24




KLUS - MD-200-24 is the most compact LED driver on the market with a magnetic transformer core. It is equipped with two push-to-reset circuit breakers on the input and output, which protect both the load and driver. The driver is encased in a coated metal box that includes 2 knock-outs on the bottom to enable easy installation that complies with electrical code requirements.

QUICK SPECS

Input Voltage	Max Output Power	Output Voltage	Output Current	Efficiency @ Max Load	Power Factor @ Max. Load	Envir. Protection Rating	Weight
120VAC	200W	24VDC	10.9 A	> 87%	> 0.93	NEMA 3R	87oz

WIRING DIAGRAM





ENCLOSURE DETAILS In. (mm)

Length	10.06 (255.5)		
Width	3.09 (78.5)		
Height	2.84 (72.1)		

FEATURES

- Dimmable with any standard MLV/Incandescent TRIAC- (Leading edge) dimmer switch
- Dual protection two manual push-to-reset circuit breakers on the primary and secondary sides
- Low operating temperature
- Nema 3R Outdoor Use
- Two bottom knock-outs
- Optional 10% voltage boost to compensate for voltage drop
- ETL Listed
- Certified to CSA Standard








SPECIFICATIONS

Input				
Input Voltage	120VAC			
Input Current @ Max Load	2.51 A			
Power Factor	0.93			
Efficiency	> 87%			
Output				
Max Load	200W			
Output Voltage	23.3 VDC			
Output Current @ Max Load	10.9 A			
Open Circuit Output Voltage	26.2 VDC			
Coil Former	Double Section Bobbin			
Envrionmental				
Operating Temperature	-30°c - 45°c (-22°F - 113°F)			
Min Installation space between drivers	5"Inch			
Thermal Class	B130°c			
Protections				
Circuit Breaker	Primary and secondary push to reset			
Mechanical & Housing				
Leads Primary	PVC 600V #18			
Leads Secondary	PVC 300V #12			
Length	10.06" (255.5mm)			
Width	3.09" (78.5mm)			
Height	2.84" (72.1mm)			
Weight	87oz			
Housing Material	Coated metal			
Housing Color	Black			
Junction Box	Yes			
Mounting	Two Hole flange mounting			
Approval Markings				
Certificates / Approval Signs	UL 8750			

MD-SERIES MAGNETIC DIMMABLE LED DRIVER







MD-SERIES MAGNETIC DIMMABLE LED DRIVER

