


- UL Listed
- CRI 95+
- 2-Step MacAdam's ellipse, single binning
- L70- Over 50,000 hours
- R9 up to 98
- Reverse voltage protection
- Minimum 2oz copper PCB







TECHNICAL DATA


Model	Chip	IP protection	Power consumption	Color temperature	Lumen output	Diode QTY per foot	Input voltage	Beam Angle	Max run length	LED width
WP-K-CR-22-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	2200 K	211 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-25-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	2500 K	243 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-27-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	2700 k	216 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-30-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	3000 K	266 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-35-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	3500 K	268 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-40-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	4000 K	284 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm
WP-K-CR-50-1910-HD-24V	Epistar 2016	IP 65 (silicon sleeve)	2.84 W/ft	5000 K	237 lm/ft	81 pcs/ft	24 V	120 °	24'	10 mm

WIRE OPTIONS


36"-72" wire leads (20 gauge Jacketed wire)




RELATED EXTRUSIONS




DES Extrusion
Ref:
18030ANODA



IDOL Extrusion
Ref:
18014ANODA




IKON Extrusion
Ref:
18013ANODA




IMET Extrusion
Ref:
18012ANODA




JAZ Extrusion
Ref:
B8547ANODA




KIDES Extrusion
Ref:
18031ANODA




KIDES-DUO
Extrusion
Ref:
18032ANODA




KOPRO Extrusion
Ref:
B6367ANODA




KOPRO-30
Extrusion
Ref:
B7890ANODA




KOZEL Extrusion
Ref: B6454




KOZUS Extrusion
Ref: B7823NA




LARKO Extrusion
Ref:
B5552ANODA




LESTO Extrusion
Ref:
B5551ANODA




LIPOD Extrusion
Ref:
B5554ANODA



LOC-30 Extrusion
Ref:
18015ANODA




LOKOM Extrusion
Ref:
B5553ANODA




OPAC-30
Extrusion
Ref:
B6164ANODA




PDS-4-PLUS
Extrusion
Ref: C1263




SEKODU
Extrusion
Ref:
B6597ANODA



SEKOMA
Extrusion
Ref:
B6595ANODA



SEPOD Extrusion
Ref:
B6593ANODA



SILER Extrusion
Ref:
B9325ANODA



STEPUS
Extrusion
Ref:
18038ANODA